



SCALE 1:20


TYPICAL MANHOLE DETAIL (TYPE C)


1 NO. MIN.





TYPICAL PRECAST ROAD GULLY






HINGED DOUBLE LEAF MANHOLE COVER AND FRAME

PLEASE NOTE THE CONTRACTOR SHALL REFER TO NRA DETAIL RCD/500/5

TYPICAL BACKDROP MANHOLE DETAIL



300mm WIDE APRON ST4 CONCRETE

300mm WIDE APRON ST4 CONCRETE PRECAST HEAVY DUTY - COVER SLAB BEDDED ON MORTAR OR COMPRESSIBLE BITUMINOUS SEAL VARIES (SEE RCD 500/1) 150mm GRADE C16/20. IN CONCRETE SURROUND PRECAST CONCRETE - MANHOLE RINGS TO IS 420 IN CONJUNCTION WITH IS EN - PIVOTING BY-PASS DOOR INTAKE FLOW 75MM DEEP MASS

465

TYPICAL MANHOLE DETAIL (TYPE D)

PLEASE NOTE THE CONTRACTOR SHALL REFER TO NRA DETAIL RCD/500/5

INFORMATION
© ORS This drawing and any design hereon is the copyright of the Consultants and must not be reproduced without their written consent. All drawings remain the property of the Consultants.
Figured dimension only to be taken from this drawing. All dimensions to be checked on site. Consultants to be informed immediately of any discrepancies before work proceeds.

	REV NO:	DATE:	REVISION NOTE:	DWN BY	: CKD BY:
	P01	23/01/2024	ISSUED FOR PLANNING	PMC	МН
ı					

SCALE 1:20

TYPICAL FLOW CONTROL MANHOLE

HINGED DOUBLE LEAF MANHOLE COVER AND FRAME SHALL COMPLY TO EN 124 AND BS 7903

SECTION B-B

CLIENT:	WESTMI	EATH COUNT	TY COUNCIL	
PROJECT:		SED SERVICE BOYLEGAN,	ED SITES MOATE, CO. WESTMEATH	
TITLE:	TYPICAL	. SURFACE V	VATER MANHOLE DETAILS	
DRAWN:	CHECKED:	APPROVED:	JOB NO:	REV:
DRAWN.				
PMC	RD	MH	230894	→ P01

Mullingar | Dublin | Galway | Donegal | Cork T: +353 1 5242060 | W: www.ors.ie | E: info@ors.ie ISO 9001:2015 QUALITY ASSURED COMPANY

CONCRETE (GRADE C6/8).